DOLPAC 2, 10, 25

Curative treatment of dogs harbouring mixed parasitic infestations

COMPOSITION

DOLPAC ® 2
Active substances:
Oxantel 40.06 mg (equivalent to 111.8 mg of oxantel embonate)
Pyrantel 9.99 mg (equivalent to 28.8 mg of pyrantel embonate)
Praziquantel 10.00 mg
Excipient to one divisible tablet 190 mg

DOLPAC ® 10
Active substances:
Oxantel 200.28 mg (equivalent to 559 mg of oxantel embonate)
Pyrantel 49.94 mg (equivalent to 144 mg of pyrantel embonate)
Praziquantel 50.00 mg
Excipient to one divisible tablet 950 mg

DOLPAC ® 25
Active substances:
Oxantel 500.70 mg (equivalent to 1397.5 mg of oxantel embonate)
Pyrantel 124.85 mg (equivalent to 360 mg of pyrantel embonate)
Praziquantel 125.00 mg
Excipient to one divisible tablet 2375 mg

INDICATIONS

For curative treatment of dogs harbouring mixed parasitic infestations with the following adult stages of nematode and cestode species:
- Nematodes: Toxocara canis, Toxascaris leonina, Ancylostoma caninum, Uncinaria stenocephala, Trichuris vulpis.
- Cestodes: Dipylidium caninum, Taenia spp., Echinococcus multilocularis, Echinococcus granulosus

CONTRAINDICATIONS

See special warnings.

SPECIAL WARNINGS

Special warnings for each target species.
Parasite resistance to any particular class of anthelmintic may develop following frequent, repeated use of an anthelmintic of that class.
Fleas serve as intermediate hosts for one of the common tapeworms – Dipylidium caninum. Tapeworm infestation may reoccur unless control of intermediate hosts (fleas) is undertaken.

Special precautions for use in animals
Roundworm and Hookworm infection:
In some animals, Ancylostoma caninum and Toxocara canis may not be totally eradicated by the treatment, resulting in a continued risk of egg shedding into the environment. Follow-up examinations of the faeces are advisable and according to the results of these examinations, treatment with a nematodicidal product may be carried out if necessary.
The product is not recommended for use in pups younger than two months old or weighing less than 1 kg.
In debilitated or heavily infested animals, the product should be used only according to a benefit/risk assessment by the responsible veterinarian.
Do not use in animals with known hypersensitivity to any of the components of the product.

Special precautions to be taken by the person administering the veterinary medicinal product to animals

ADVERSE REACTIONS

Vomiting and diarrhoea may be observed following the treatment.
Despite not being observed in studies performed with the product, anorexia can occur as it is a common adverse effect of products containing

praziquantel.
If you notice any serious effects or other effects not mentioned in this leaflet, please inform your veterinary surgeon.

TARGET SPECIES

Dogs.

ROUTE(S) AND METHOD OF ADMINISTRATION

Administer the required number of tablets, according to bodyweight, orally, in a single administration. Preferably, dogs should be fasted prior to treatment. Food may be given one hour or more after treatment.
The tablet can be divided into equal halves.
Dogs kept together or in kennels should be treated at the same time.

WITHDRAWAL PERIOD

Not applicable.
SPECIAL STORAGE PRECAUTIONS
Keep out of the reach and sight of children.
This veterinary medicinal product does not require any special storage conditions.
Do not use after the expiry date which is stated on the carton after EXP
Discard any unused half tablet.

POSOLOGY

The recommended dose rate is 20 mg oxantel / 5 mg pyrantel / 5 mg praziquantel per kg bodyweight, i.e. one tablet per kg bodyweight, by oral route:
-1 tablet of Dolpac 2 for 2 kg b.w
-1 tablet of Dolpac 10 for 10 kg b.w
-1 tablet of Dolpac 25 for 25 kg b.w

DOLPAC® 2		DOLPAC® 10		DOLPAC® 25	
Bodyweight	Number of tablets	Bodyweight	Number of tablets	Bodyweight	Number of tablets
1 kg	½	3.1 à 5 kg	½	10.1 à 12.5 kg	½
1.1 à 2 kg	1	5.1 à 10 kg	1	12.6 à 25 kg	1
2.1 à 4 kg	2	10.1 à 20 kg	2	25.1 à 50 kg	2
4.1 à 6 kg	3	20.1 à 30 kg	3	51.1 à 75 kg	3

PRESENTATION

Dolpac 2
Box of 10 tablets
Box of 60 tablets

Dolpac 10
Box of 10 tablets
Box of 60 tablets

Dolpac 25
Box of 3 tablets
Box of 60 tablets